



Aceros Inoxidables Deltametal, S.L.

Avenida Diagonal, 482, 57 / 08006 Barcelona / tel +34 93 2172396 / fax +34 93 2178739

WEB: <http://www.deltametal.es> / E-mail: delta@deltametal.es

STAINLESS STEEL REINFORCING BAR



STAINLESS STEEL GRADES

AISI	DIN	AFNOR	BS	SIS
304	4,301	Z6CN 18 -9	302-S25	2332
304L	4,306	Z2CN 18 -10	304-S12	2333, 2352

STANDARD DIMENSIONS

Diameter mm	Area Mm ²	Weight Kg/m
3	7,1	0,055
4	12,7	0,100
6	28,3	0,225
8	50,3	0,396
10	78,5	0,620
12	113,1	0,890
14	153,9	1,210
16	201	1,580
20	314	2,470
25	491	3,870
28	616	4,830
32	804	6,310

Requests

UNE	36 – 067
BS	BS 6744
AFNOR	NFA – 35019
DIN	DIN 488, DIN 17440

Mechanical properties

	Diameter	
	from 3 to 14 mm	from 16 to 32 mm
Rt	> 800 N/mm ²	> 700 N/mm ²
Rp (0,2)	> 600 N/mm ²	> 525 N/mm ²
A (5xd) %	> 12%	> 15%

Delivery condition

in 350 kg coils
In straight bars, length 6 metres (+/- 50 mm)

Other grades and dimensions available on request.