

Aceros Inoxidables Deltametal, S.L.

Vía Augusta, 15, 703 / 08006 Barcelona / tel +34 93 2172396 / fax +34 93 2178739


WEB: <http://www.deltametal.es> / E-mail: delta@deltametal.es

Aleación: EN AW-6060 T66 (AlMgSi 0,5 F22)

Longitud: 6000 mm

	D	x	S	kg/m		D	x	S	kg/m
RR	6	x	1	0,043	RR	24	x	1,5	0,287
RR	6	x	1,5	0,057	RR	24	x	2	0,374
RR	7	x	1	0,051	RR	25	x	1	0,204
RR	8	x	1	0,060	RR	25	x	1,5	0,300
RR	8	x	1,5	0,083	RR	25	x	2	0,391
RR	8	x	2	0,102	RR	25	x	2,5	0,478
RR	9	x	1	0,068	RR	25	x	3	0,561
RR	10	x	1	0,077	RR	25	x	3,5	0,640
RR	10	x	1,5	0,108	RR	25	x	5	0,850
RR	10	x	2	0,136	RR	26	x	1,5	0,312
RR	10	x	2,5	0,159	RR	26,9	x	2,5	0,519
RR	10	x	3	0,179	RR	27	x	6	1,071
RR	12	x	1	0,094	RR	28	x	1,5	0,338
RR	12	x	1,5	0,134	RR	28	x	2	0,442
RR	12	x	2	0,170	RR	28	x	2,5	0,542
RR	13	x	1,5	0,147	RR	28	x	3	0,638
RR	13	x	2	0,187	RR	28	x	4	0,816
RR	14	x	1	0,111	RR	28	x	5	0,978
RR	14	x	2	0,204	RR	30	x	1	0,247
RR	14	x	3	0,281	RR	30	x	1,5	0,363
RR	15	x	1	0,119	RR	30	x	2	0,476
RR	15	x	1,5	0,172	RR	30	x	2,5	0,584
RR	15	x	2	0,221	RR	30	x	3	0,689
RR	15	x	2,5	0,266	RR	30	x	4	0,884
RR	16	x	1	0,128	RR	30	x	5	1,063
RR	16	x	1,5	0,185	RR	30	x	7,5	1,434
RR	16	x	2	0,238	RR	31	x	2,5	0,606
RR	16	x	2,5	0,287	RR	32	x	1	0,264
RR	16	x	3	0,332	RR	32	x	1,5	0,389
RR	16	x	4	0,408	RR	32	x	2	0,510
RR	18	x	1	0,145	RR	32	x	3	0,740
RR	18	x	1,5	0,210	RR	32	x	5	1,148
RR	18	x	2	0,272	RR	32	x	5	1,148
RR	18	x	3	0,383	RR	33,7	x	3	0,783
RR	19	x	1	0,153	RR	34	x	4	1,020
RR	19	x	1,5	0,223	RR	35	x	1	0,289
RR	20	x	1	0,162	RR	35	x	1,5	0,427
RR	20	x	1,2	0,192	RR	35	x	2	0,561
RR	20	x	1,5	0,236	RR	35	x	2,5	0,691
RR	20	x	2	0,306	RR	35	x	3	0,816
RR	20	x	2,5	0,372	RR	35	x	4	1,054
RR	20	x	3	0,434	RR	35	x	5	1,275
RR	20	x	4	0,544	RR	35	x	5,5	1,379
RR	20	x	5	0,638	RR	36	x	2	0,578
RR	21	x	2	0,323	RR	36	x	6	1,530
RR	21	x	3	0,459	RR	38	x	1,5	0,465
RR	22	x	1	0,179	RR	38	x	3	0,893
RR	22	x	1,5	0,261	RR	38	x	4	1,156
RR	22	x	2	0,340	RR	38	x	5	1,403
RR	22	x	2,5	0,414	RR	40	x	1	0,332
RR	22	x	3	0,485	RR	40	x	1,5	0,550
RR	23	x	1,5	0,274	RR	40	x	2	0,646
					RR	40	x	2,5	0,797

Tubos redondos




Aceros Inoxidables Deltametal, S.L.

Vía Augusta, 15, 703 / 08006 Barcelona / tel +34 93 2172396 / fax +34 93 2178739

WEB: <http://www.deltametal.es> / E-mail: delta@deltametal.es

Tubos redondos



D	x	S	kg/m	D	x	S	kg/m	D	x	S	kg/m
RR	40	x 3	0,944	RR	60	x 3 (6m)	1,450	RR	80	x 15	8,270
RR	40	x 4	1,224	RR	60	x 3 (7m)	1,450	RR	84	x 2	1,391
RR	40	x 5	1,488	RR	60	x 4	1,900	RR	85	x 3	2,087
RR	40	x 8	2,176	RR	60	x 5	2,333	RR	85	x 5	3,393
RR	40	x 10	2,550	RR	60	x 6	2,748	RR	86	x 3	2,112
RR	42	x 1,5	0,516	RR	60	x 10	4,241	RR	89	x 2	1,476
RR	42	x 2	0,720	RR	60	x 11	4,572	RR	89	x 3	2,188
RR	42	x 2,5	0,839	RR	60	x 15	5,725	RR	90	x 1,5	1,126
RR	42	x 3	0,995	RR	60	x 20	6,786	RR	90	x 3	2,214
RR	42	x 3,5	1,145	RR	62	x 2	1,018	RR	90	x 4	2,918
RR	42	x 4	1,292	RR	63	x 1,5	0,782	RR	90	x 5	3,605
RR	42	x 5	1,573	RR	63	x 3	1,527	RR	90	x 6	4,275
RR	42,4	x 2,8	0,942	RR	63	x 8	3,732	RR	90	x 10	6,786
RR	45	x 1,5	0,555	RR	65	x 1,7	0,913	RR	90	x 20	11,875
RR	45	x 2	0,731	RR	65	x 2	1,069	RR	90	x 25 (3m)	13,783
RR	45	x 2,5	0,903	RR	65	x 2,5	1,325	RR	90	x 25 (6m)	13,783
RR	45	x 3	1,069	RR	65	x 4	2,070	RR	92	x 5	3,690
RR	45	x 5	1,696	RR	65	x 5	2,545	RR	95	x 2,5	1,961
RR	45	x 7,5	2,386	RR	66	x 2,5	1,347	RR	96	x 14,5	10,024
RR	46	x 3	1,094	RR	66	x 3	1,603	RR	100	x 1,5	1,253
RR	48	x 2	0,780	RR	70	x 2	1,154	RR	100	x 2	1,662
RR	48	x 2,5	0,965	RR	70	x 2,5	1,431	RR	100	x 2,5	2,067
RR	48	x 3	1,145	RR	70	x 3	1,705	RR	100	x 3	2,468
RR	48	x 4	1,493	RR	70	x 4	2,239	RR	100	x 4 (6m)	3,257
RR	48	x 5	1,824	RR	70	x 5	2,757	RR	100	x 4 (8m)	3,257
RR	48,3	x 4,05	1,520	RR	70	x 7	3,741	RR	100	x 5	4,029
RR	48,3	x 6	2,153	RR	70	x 10	5,089	RR	100	x 6	4,784
RR	50	x 1,5	0,617	RR	72	x 4	2,307	RR	100	x 8	6,243
RR	50	x 2	0,814	RR	75	x 2	1,238	RR	100	x 10	7,634
RR	50	x 2,5	1,007	RR	75	x 2,5	1,537	RR	100	x 20	13,571
RR	50	x 3	1,196	RR	75	x 3	1,832	RR	105	x 2,5	2,174
RR	50	x 3,5	1,380	RR	75	x 5	2,969	RR	106	x 3	2,621
RR	50	x 4	1,561	RR	76	x 2	1,255	RR	108	x 2,5	2,237
RR	50	x 5	1,908	RR	76	x 2,5	1,559	RR	108	x 3	2,672
RR	50	x 8	2,850	RR	76	x 3 (3m)	1,858	RR	108	x 4	3,529
RR	50	x 10	3,393	RR	76	x 3 (6m)	1,858	RR	108	x 5	4,368
RR	55	x 2	0,899	RR	76	x 3 (7m)	1,858	RR	110	x 2,5	2,280
RR	55	x 2,5	1,113	RR	76	x 4	2,443	RR	110	x 3	2,723
RR	55	x 5	2,121	RR	80	x 1,5	0,999	RR	110	x 5	4,453
RR	56	x 3	1,349	RR	80	x 2	1,323	RR	110	x 10	8,482
RR	58	x 3	1,400	RR	80	x 2,5	1,643	RR	114,3	x 3	2,832
RR	60	x 1	0,500	RR	80	x 3	1,959	RR	114,3	x 6	5,512
RR	60	x 1,5	0,744	RR	80	x 4	2,579	RR	115	x 5	4,665
RR	60	x 2	0,984	RR	80	x 5	3,181	RR	120	x 2	2,002
RR	60	x 2,5	1,219	RR	80	x 6	3,766	RR	120	x 3	2,977
RR	60	x 3 (3m)	1,450	RR	80	x 8	4,886	RR	120	x 4	3,936
RR	60	x 3 (3,5m)	1,450	RR	80	x 10	5,937				


Aceros Inoxidables Deltametal, S.L.

Vía Augusta, 15, 703 / 08006 Barcelona / tel +34 93 2172396 / fax +34 93 2178739

WEB: <http://www.deltametal.es> / E-mail: delta@deltametal.es

Tubos redondos

	D	x	S	kg/m		D	x	S	kg/m
RR	120	x	5	4,877	RR	160	x	3 (10m)	3,995
RR	120	x	8	7,600	RR	160	x	4	5,293
RR	120	x	10	9,330	RR	160	x	5	6,574
RR	120	x	15	13,359	RR	168	x	3,4	4,747
RR	125	x	4	4,105	RR	170	x	5	6,998
RR	125	x	10	9,754	RR	180	x	3	4,504
RR	130	x	2	2,171	RR	180	x	5	7,422
RR	130	x	2,5	2,704	RR	180	x	5 (10m)	7,422
RR	130	x	3	3,232	RR	190	x	3	4,758
RR	130	x	5	5,301	RR	190	x	3 (10m)	4,758
RR	130	x	10	10,178	RR	200	x	3	5,013
RR	130	x	15	14,631	RR	200	x	3 (10m)	5,013
RR	133	x	3	3,308	RR	200	x	3 (11m)	5,013
RR	133	x	4	4,377	RR	200	x	5	8,270
RR	140	x	3	3,486	RR	200	x	8	13,028
RR	140	x	4	4,614	RR	208	x	4	6,921
RR	140	x	5	5,725	RR	219	x	4	7,295
RR	140	x	10	11,027	RR	219	x	4 (12m)	7,295
RR	150	x	2	2,511	RR	220	x	5	9,118
RR	150	x	3	3,741	RR	230	x	5	9,542
RR	150	x	5	6,149	RR	240	x	5	9,966
RR	150	x	10	11,875	RR	250	x	5	10,390
RR	156	x	3	3,893	RR	250	x	5 (10m)	10,390
RR	160	x	2	2,680	RR	250	x	5 (11m)	10,390
RR	160	x	3	3,995	RR	273	x	5	11,366
RR	160	x	3 (7m)	3,995	RR	273	x	5 (12m)	11,366
RR	160	x	3 (12m)	3,995	RR	300	x	4	10,043
					RR	300	x	4 (12m)	10,043



Aleación: EN AW-6060 T66 (AlMgSi 0,5 F22)

Longitud: 6000 mm

Tubos redondos Diversas aleaciones Longitud 6000 mm

EN AW-1050		Al99,5	
D	x	S	kg/m
RR	33,5	x	3,25 0,836
RR	62	x	2 1,020
RR	140	x	2 2,346

EN AW-2007		AlCuMgPb	
D	x	S	kg/m
RR	75	x	10 5,720

EN AW-5754		AlMg3	
D	x	S	kg/m
RR	45	x	5 1,700
RR	65	x	5 2,550
RR	80	x	5 3,188
RR	82	x	4 2,652
RR	90	x	5 3,613
RR	100	x	4 3,264
RR	100	x	10 7,650

Tubos redondos curvados según diseño del cliente.

